



Hundred

Xana-100



Xana-100

TOSHO

Conveyor status

POWER

Xana-100 Series



100/Hundred



50/Fifty



0/Zero

Xana-100

■ Xana-100: COMPACT. ACCURATE. RELIABLE.

Small pharmacies can now be more efficient with our new Xana series. Introducing a new line up of machines targeting smaller pharmacies.

TOSHO's Xana series extend into new territory in the Full Automatic Tablet Packing section.

Our new Xana-100 is more compact than ever.

This machine can now fit into any small space in your pharmacy with the same high speed, reliability, and accuracy well-known to the market.



Safety


Our 66-Cell Semi-auto Conveyor Unit with LED Guide

The 66-Cell Conveyor Unit holds tablets filled manually by hand. Each cell has LED light guides to indicate the correct location. This ensures easy and safe filling of multiple medications.




Rotary Cassette Automatic Identification

Each Rotary Cassette is identified automatically by the equipped Intelligent Feeder (IF) to ensure the correct cassette is inserted. LED light alerts if the incorrect cassette is positioned.



All U2 Function (Optional Feature)

All U2 Function is available for the Xana-100 models to optimize efficiency. In this function, Rotary Cassettes are managed under a free-seating chart. The interchangeable cassettes are automatically identified by the machine.




Printing

Custom Layout

Possible customized printing layout with the selection of standard fonts in Windows OS.

Images such as patient pictures, logos, barcodes (Code 39 and 128), QR codes, or special characters can be printed upon your desire. The layout can be easily changed and stored with simple operation.



*Microsoft, Encarta, MSN, and Windows, of the United States Microsoft Corporation, are registered trademarks in United States and other countries.

Operability

Dose Dispensing Control System FILIA

FILIA is a control system for Full Automatic Tablet Packing Machine and allows you easy and efficient management of machines and related dispensing data.

FILIA can be interfaced with your current software system.


Cleaning the inner part of the cabinet is no longer impossible.
The center can be opened to dust off medicine remains.



Accessibility

■ Packing Unit

Pull out the packing unit at the bottom of the machine for cleaning and maintenance.




■ All New Improvements

With increased accessibility to previously unreachable areas, cleaning of the machine has never been faster and easier.

■ Hopper

Hopper can be disassembled for improved cleaning.



■ Chute system

Steps made easier. Take out, wipe, and return.



Machine Specifications - Xana-100/Hundred Cassettes. Standard Two Cabinets

Product Name	Full Automatic Tablet Packing Machine
Model	Xana-100
Number of Rotary Cassettes	100
Machine size	W900mm x D600mm x H1960mm
Weight	350 kg (Without Rotary Cassettes)
Floor Plate Size	W900mm x D960mm
Power Source	220-240VAC, Single phase
Rating Current	3.0A
Frequency	50Hz/60Hz
Noise Level	Under 70db
Pouch Size	W80mm x H70mm
Packing Speed **	54 pouches/min. 50 pouches/min. (Dispensed by conveyor)
Applicable EU Directives	EMC:2014/30/EU R&TTE:1999/5/EC LVD:2014/35/EU RoHS: 2011/65/EU

Machine Specifications - Xana-100/Fifty Cassettes. One Cabinet

Product Name	Full Automatic Tablet Packing Machine
Model	Xana-100
Number of Rotary Cassettes	50
Machine size	W900mm x D600mm x H1960mm
Weight	350 kg (Without Rotary Cassettes)
Floor Plate Size	W900mm x D960mm
Power Source	220-240VAC, Single phase
Rating Current	3.0A
Frequency	50Hz/60Hz
Noise Level	Under 70db
Pouch Size	W80mm x H70mm
Packing Speed **	54 pouches/min. 50 pouches/min. (Dispensed by conveyor)
Applicable EU Directives	EMC:2014/30/EU R&TTE:1999/5/EC LVD:2014/35/EU RoHS: 2011/65/EU

Machine Specifications - Xana-100/Zero Cassette. No Cabinet

Product Name	Full Automatic Tablet Packing Machine
Model	Xana-100
Number of Rotary Cassettes	0(Zero)
Machine size	W900mm x D600mm x H900mm
Weight	220 kg (Without Rotary Cassettes)
Floor Plate Size	W900mm x D960mm
Power Source	220-240VAC, Single phase
Rating Current	3.0A
Frequency	50Hz/60Hz
Noise Level	Under 70db
Pouch Size	W80mm x H70mm
Packing Speed **	50 pouches/min
Applicable EU Directives	EMC:2014/30/EU R&TTE:1999/5/EC LVD:2014/35/EU RoHS: 2011/65/EU

**The speed estimate is tested under TOSHO site. Actual speed may vary according to conditions.

*The specification and configuration may change without a notice due to modification.

*The color appeared in the catalog might be different in the actual product.

*The contents of the catalog are current as of December 2022.

